GENETICS

A PERIODICAL RECORD OF INVESTIGATIONS
BEARING ON HEREDITY AND
VARIATION

VOLUME 22 - 1937

WITH FIVE PLATES AND EIGHTY-FOUR TEXT FIGURES

Published by the
Brooklyn Botanic Garden
Brooklyn, New York
U.S.A.

INDEX TO VOLUME 22

Page numbers printed in black-faced type refer to headings of articles. Names in lists of "Literature Cited" are not included.

ABERLE, S. DE, 43, 45, 48
abortion, rabbit, 264
Abutilon
  hybridium, 145, 151–157, 177
  self sterility, 145, 151–157, 177
  striatum, 151
acetocarmine, 96, 133, 160, 163, 544, 551, 613, 615, 618–619, 635
acquired immunity, mouse, 270–271
acrostical hairs, Drosophila, 431
AFIFY, A., 132, 145, 162
age, effect on
  disease resistance, 274
  eye color, Drosophila, 72–75
  Fused, mouse, 2
  mutation frequency, **213**–224
  weight of offspring, pig, 458–461
AIDA, T., 376, 388
AKHTAR, A. R., 145
ALAM, Z., 135
Alabama, University of, 197
ALBERTOWICZ, T., **188**
albino mouse, **193**–194
ALIKHANIAN, S., 634
Allium, chromosomes, 197
allotetraploidy, 156
ALTENBURG, E., 95, 232, 237, 241
altitude, effect on mutation, 535–542
AMES, L. M., 175–176
American Philosophical Society, 434, 519
Amherst College, 188–189, 203, 470
anaemia, mouse, 44–56, 60–62, 311–312
ANDERSON, EDGAR, 145, 157, **183**, 206, 347, 355–356
ANDERSON, E. G., 104, 237, 297, 302, 305, 600, 519
ANDERSON, R. B., 431
ANDERSON, R. L., 453
aneuploidy, 407–425
angiosperms, chromosomes, **197**
ANTHES, E. H., 635
anthocyanin pigments, 151, 210, 348–360
Antirrhinum, 104, 115, 518
aphids, **208**–209
Aplocheilus, 376
Apotettix, 114, 116
apple, 132, 145, 162, 173, 496–497
Arnold Arboretum, 523
artefacts and chromosomes, 184
ASAMI, Y., 145
ASTAUROW, B. L., 345
asthma, 205
ATABEKOWA, A., 516
atmospheric pressure, effect on mutation, **211**–212
attached-X, 96, 99–102, 125, 333–339
ATTECK, O. S., 146
atypical growth, **197**, **484**–522
Avena, 104
AVERY, A. G., **186**
AXELSSON, J., 461

Bacillus pyriformis, 265
bacteria
  variation, **184**
  resistance, mouse, 264–282
BAILEY, L. H., 140, 151
BAKER, A. C., 340
balanced lethals, 195, 237
BALLINGER, J., 483
BALTZER, F., 192–193
BANTA, A. M., **183**
BARDEEN, C. R., 557, 563
Bar eye, Drosophila, **319**–330
barley, 362, **443**–451
  maternal inheritance, **104**–112
BARLOW, N., 131
BARON, A. L., **184**, 320
Barred Rock fowl, **196**, 199
BARLETT, H. H., 516
BAUER, H., 95, 102, **184**–185, 547, 554, 612, 623, 626–631, 635
BAUR, E., 104
Bayes' Theorem, 252
BEADLE, G. W., **65**–**76**–78, 81–85, 196, 206, 257–261, 393–401, 408, 434–441, **479**–482, 491, 524, **587**–596, 599–609
BEAMS, H. W., 198
BEATUS, R., 131, 138–139
BEDICHEK, S., 123, 232, 242, **407**–408, 423
BEERS, C. V., **185**, **577**
beetle, spermatogenesis, 208
BELAR, K., 435
BELLAMY, A. W., 376–379, 386, 389
BELLING, J., 629, 631
BERG, R. L., **225**, **241**–242, **402**
BERGNER, A. D., **186**
bilateral gynandromorphs, **196**
birth rank, mouse, 2
BISHOP, D. W., **452**
BLACHER, L. I., 246
BLAKESLEE, A. F., 149, 154, 165, 170, **186**–197, **207**, 516
BLANC, R., **203**
BLUM, H. F., 225
body fluid, effect on eye color, 393–**401**, 600
body size, Peromyscus, 190
BOLEN, H. R., 408
Bombyx mori 114–116
BONNIER, G., 436
BOSTIAN, C. H., 421, 453
BOVERI, T., ii
Brassica
  oleracea, 131–140, 173–176
  pekinensis, 132–135, 145, 173–175
  self sterility, 131–145, 173–176

BREIDER, H., 387–388, 391
BREWSTER, W., 218–219, 222
BRIDGES, C. B., 53, 84, 96, 116, 123, 184, **186–187**, 193, 201, 226, 233–238, 241, 246–249, 255, 297, 302, 305, 320, 419, 422–423, 486, 554, 578, 612, 617, 628, 630–631, 635–637, 642
BRIEGER, F. C., 348, 352, 354, 357
BRINK, R. A., 132, 134, 138
bristle development, Drosophila, 196
BRITTINGHAM, W. H., 515, 575
broccoli, self sterility, 131–140, 173–174
Brown University, 183
Brucella abortus, 264
BRYANT, L. R., 107
BRYDEN, W., 115
BUCHHOLZ, J. T., 149, 154, 165, 170, **187**
Bucknell University, 191
bud fertility, 135–136, 140
Burlingtonia, 145
Bussey Institution, 1, 157, 347
BYTINSKI-SALZ, H., 262
BYWATERS, J. H. **457**

cabbage, self sterility, 131, 135, 138
CALDWELL, L., 284, 293
California Institute of Technology, 64, 185–186, 207, 257, 340, 470, 519, 564, 585
Capsella
  grandiflora, 131–132, 137, 175
  self sterility, 131–137, 173–175
CARD, L. E., 264
Cardamine
  pratensis, 131–135, 138–139, 175
  self sterility, 131–139, 175
Carnegie Institution of Washington, 183, 186–191, 194, 201, 204, 207, 265, 307–308, 469, 543, 634, 641
CARROLL, M. C., 317
CARTLEDGE, J. L., **187**
CASPERSSON, T., 631
CASTLE, W. R., 15, 26, 114, 175, 485
CATCHESIDE, D. G., **564**
cell lethals, 498
Cephalopods, i
chain formation, Paramoecium, 290
CHANDLER, C., 162–163
CHARLES, D. R., **14**, 45, 53, 55, 58, 252, 307, 317
CHASE, A. B., 15, 40
CHEN, T. Y., 326
cherry, 132
CHESLEY, P., 2
CHEVAIS, M. S., 483
chiasmata, 116, 303–305, 526–527, 570–571
Chicago, University of, 201, 211
chick
  embryo cells, 198
  vitamin B deficiency, **198–199**
CHILD, G. P., **188–189**, 203, 328
Chironomus, 547, 623, 627, 629–630
CHITTENDEN, R. J., 104
chlorophyll deficiency, Hordeum, 105–112, 445–451
CHRISTIE, W., 115
chromatid crossing over, 297
chromatid ties, 523–533
chromocenter, 91–102, 198, 614
chromomeres, 96–102, 202–203, 547, 612–632
chromonemata, 95–102, 184, 197, 201–202, 547, 612–632
chromosome
  balance, 226, 246, **407–425**, 527–533, 565
  behavior, **523–533**
  development, **612–632**
  fragments, 524–527
  lagging, 207, 209, 523–527
  multiple, **191**
  rings, 564–576
  salivary, **184–187**, 195–198, 201–202, 234, 238, 249–252, **542–556**, **612–632**, 634–648
  structure, 87–93, **94–103**, 184–186, 197, **201–202**, 542–556, 612–632, 648
  variation in species, 340–346
Ciona intestinalis, 175
Citrus Experiment Station, 297, 305
CLANCY, C. W., 71, 74, 77, 86, 257–259, 261, 393–401, 599
CLARK, F. H., 1, 10–11, 63, **189**
cleavage, ii, 204–205
cleft palate, 205, 210
CLELAND, R. E., 568
club foot, 205
coat color
  deer mouse, 190
  guinea pig, 207
  mouse, 14–64, 307–318
  rabbit, 308
COATES, C. L., 384
COCHRANE, F., 436–437, 441
COHEN, B. M., 284
COLE, L. J., 264
COLLINS, G. N., 485
COLLINS, J. L., 485
color patterns, platyfish, 376–391
Colorado State College, 104, 443
Columbia University, 14, 43, 200, 249, 307, 470
COMBS, J. D., **427**, **557–558**, 562
conjugation, Paramoecium, **284–295**
CONKLIN, E. G., **iii**
Connecticut Agricultural Experiment Station, 197, 484
Connecticut College, 189
Cornell University, 187, 196, 198, 200, 376
CONNER, A. B., 104
COOK, O. F., 485
COOPER, J. R., 145, 162
corn, 189, 190
corolla color, Nicotiana, **347–361–375**
corpus allatum, 262
CORRENS, C., 104, 131–132, 135, 161, 484, 512
Corydalis cava, 145
cosmic radiation, effect on mutation, 534–542
COTTERMAN, C. W., **209**
cotton, 420, 424
covariance, weight of dam and offspring, pig, 463–464
COYNE, J., 14
Cracow University, 641
Cramer Foundation, 126
CRANE, M. B., 132, 162
CREIGHTON, H. B., **189**
CREW, F. A. E., 21, 115, 265, 577
Crocker Cancer Institute, 585

crossing over
between sex chromosomes, fish, **376**–390
between X and Y, Drosophila, 94, 117, 125, **333**–339
D. melanogaster males, **114**–129
D. pseudoobscura hybrids, **200**–201, **249**–256
in attached-X's, 125
in inversions, 525–527, 532
sex difference, 114–116
somatic, 501, 515–516, 646
suppression, 634
temperature induction, 114, 117–127
tomato trisomics, 297–306
triploids, 302
X-ray induction, 117
Zea, 501
CUENOT, L., 17, 19, 26

DAANE, A., 443–444
DAHLGREN, K., 496
DANFORTH, C. H., 43, 48
Danysz bacillus, 264
Daphnia longispina, 183
DARLINGTON, C. D., 116, 523–525, 571
Dartmouth College, 126
DARWIN, C., ii, 132, 145
Datura, 170, 298
D. ferox, 186
D. quercifolia, 186
D. stramonium, 186
distribution of prime types, **186**
mutations, **187**
microsporogenesis, **207**
pollen abortion, 187–188
pollen tube growth, 149, 164–165
tripoids, **207**
Dauermodification, 294–295
DAVID, L. T., 189
daylilies, 210
Deaconess Hospital, 201
deer-mouse
hair deficiency, **189**
spotting, 16
variation, **190**
deficiencies, chromosomal, 209
Drosophila, 94, 125, 186–187, 195, 407–425, 634–639
Sciara, 542–556
Zea, 189–190, 200
deficiency, vitamin B, **198**–199
DE GARIS, C. F., 294–295
deletion, 486, 514
DEMEREC, M., 104, 112, 183, **190**, 221, 236, **469**, 474, 477, 513, 553, 634, 638–639, 641, 647–648
DEMING, G. W., 106, 109, 443, 445, 448–449
DETLEFSON, J. A., 45, 115
development
eye color, **65**–**76**–85, **393**–401, **479**–483
salivary chromosomes, **612**–632
wing, 557–563
DE VRIES, H., 564–566, 575
diabetes, 205
diarrhea, poultry, 264
DICE, L. R., 190
dietary deficiency, 198–199
Difco Bacto Peptone, 265
differential maturation, **191**
diffusible substances, Drosophila, 65–**76**–86, 393–401, 434–442, **587**–611
DILLER, W. F., 291–294
DIPPEL, A. L., 125
disease resistance
chicken, 264
mouse, **264**–312
rabbit, 264
rat, 264
Dissosteira, 202
DOAK, C. C., 170
DOBZHANSKY, TH., **185**, 233, 237, 241, 246–250, 261, **340**–341, 345–346, 407–408, 423, 425, 436, 577, 583–585
dominance, 374–375
deviation, 463–466
modification, 40
reversal, **209**
DONALD, H. P., 577, 583
Dopa reaction, **207**
DORDICK, I., **191**, 421
DORSEY, M. J., 145, 154
DOYLE, W. L., 613–615
DRAYTON, F. L., 175–176
DRIVER, E. C., 319–431
DRIVER, O. W., 319
Drosophila, 297, 302, 362
affinis group, 345
deficiency, 407–425
duplication, 407–425
hybrids, 200–201, 249–256, 259, 262, 434
interspecific transplantation, **196**, 257–263, **434**–442
salivary chromosomes, 184–187, 195–198
translocation, 407–425
Drosophila ananassae, 197–198, 258–262
Drosophila athabasca, 184
Drosophila azteca, 185
Drosophila carribea (see *D. ananassae*)
Drosophila funebris, 184, 203
Drosophila hydei, 203
Drosophila melanogaster
acrostical hairs, 431
atmospheric pressure effect, **211**–212
attached-X's, 96, 99–102, 125
Bar eye, **319**–330, 430–432
body fluid, **393**–401, 600
bristle development, 196
chromocenter, 91–102
chromosome balance, 407–425
chromosome structure, 87–**94**–103
cleavage, 204–205
cosmic radiation, effect on mutation, **534**–542
crossing over, 94, 114–129, 333–339, 497–498, 515–556, 634
deficiencies
Notch, 643
roughest, 553
deficiency, 94, 125, 186–187, 195, 407–425, 634–639
diffusible substances, 65–**76**–86, 393–401, 479–483, **587**–611
duplications
Bar, 84–85, 319–330, 427–432
infrabar, 427–432

Drosophila (continued)
embryology, **204**–205
eye color determiners, 65–86, 196, 393–401, 434–442, **479**,–483, **587**–611
facet determination, **199**
facet number, **319**–330, 430–432
fat bodies, **587**–611
genes
apricot, 78–84, 394–401, 480–483
bifid, 537
black, 474–475
blistered, 474–475
bright, 84–85, 480–483, 587, 595
brown, 588–611
bobbed, 87–102, 333, 335, 338–339
bordeaux, 84–85, 479–483, 595
cardinal, 480–483, 595
carmine, 84–85, 480–483, 595
carnation, 78, 84–85, 482–483, 595
cherry, 643–648
cinnabar, 65–86, 393–401, 479–483, 587–611
claret, 76–85, 400, 480–483, 595
clot, 84–85, 479–483
cream, 643–648
cubitus interruptus, 196
cut, 195, 634
dwarfish, 474
eyeless, 196
facet, 643
female-sterile, 260–262
forked, 474–475
garnet, 84–85, 480–483, 595
Hairless, 196
Henna, 84–85, 479–483, 595
lethal-7, 197
light, 480–483, 595
lozenge, 474–475
mahogany, 78, 84–85, 479–483, 587, 595
maroon, 480–483, 595
mutability (Florida), 475–478
peach, 79, 84–85, 480–483, 595
prune, 84–85, 479–483, 595
purple, 479–483, 589–595
purpleoid, 479–483, 595
raspberry, 84–85, 479–483
roughest, 643–648
ruby, 84–85, 480–483, 595
rudimentary, 537
safranin, 84–85, 479–483, 595
scarlet, 79, 480–483, 595–596, 606–608
scute, 326
sepia, 75, 84–85, 479–483, 595
sepioid, 84–85, 479–483, 595
singed, 261
suppressor-vermilion 587, 608–609
vermilion, 65–86, 393–401, 434–442, 474, 479–483, 537, 588–611
vestigial, 319, 421, 431–432
white, 420, 595, 643–648
yellow, 333, 474–475
inert region, **87**–102
inversions
ClB, 188–190, 211–212, 226–232, 242, 469–470, 536
Curly, 186–189, 226–232, 242–244
delta-49, 229, 242

Drosophila (continued)
mottled, 88–89
scute, 88–91
lethals, 119–121, 188–190, 211–**225**–238, 241–248, 469–478, 537–642, 634–640
Malpighian tubes, 206, **587**–611
metamorphosis, **205**–206
mosaicism, 94, 475, 641–648
mottled white eye, 641–648
mutability factor, **190**
mutation frequency, 203, **211, 213–225–241**–248, 469–478, 534–542
Nipagin, effect on development, **188**
ocellus color, 609
pole cells, 204–205
pupal respiration, **207**
salivary chromosomes, 87–**94**–103, 185–186, 195–196, 234, 553, 613, 627, 630–632, 634–648
salivary glands, 206
semi-homologous inversions, **186**
semilethals, 226–238, 241–245, 471–472, 537–542
sex combs, **427**–432
sex determination, 238, 241, 246–248
sex difference, eye color, 67, 70–75
sex difference, facet number, 322–326
sex difference, X-ray effect, 560–561
somatic crossing over, 497–498, 515–516, 646
somatic segregation, 124–125, 197, 497–498
spindle fiber attachment, 124–127
spermatogonial crossing over, 124–127
sterility mutations, **241**–248
synapsis, 116, 635–638
tarsus length, 427–432
temperature effective period, **199, 319**–330
temperature effect on
cleavage, 205
facet number, 319–330, 430–431
gene expression, **203**–204
induction of crossing over, 114, 117–127
mottling, 644
mutation, **188–189**
sex combs, 427–432
translocations, 230–235, 244–246, 641–648
transplantation, **65**–86, **196**, 205–206, 257–262, **434**–442
vestigial wing size, **188**
wild type stocks
California-C, 190
Canton, 190
Florida, 189–**190**, 203, 212, 469–478
Formosa, 469–470
Oregon-R, 190, 258, 319, 394, 396, 469–470, 535–542, 587
Swedish, 190, 470–471
Tuscaloosa, 190
Wooster, 469–470
wing area, 431
wing development, 557–563
Drosophila miranda, 345–346
Drosophila obscura, 124, 345
Drosophila pseudoobscura, 116
chromosome map, 579
crossing over in racial hybrids, **200**–201, **249**–256

Drosophila (continued)
eye color determiners, 434–442
interspecific transplants, 196, 434–442
inversions, 200–201, 249–256
linkage groups, **185**, **577**–586
racial hybrids, **200**–201, 249–256
vermilion gene, 196, 434–442
Y chromosome variation, 340–346
Drosophila simulans, 114, 117, 196, 345, 393
eye color determiners, 434–442
interspecific transplants, 257–262, 434–442
mosaics, 609
mutation frequency, **213**–224
vermilion gene, 196, 434–442
Drosophila virilis, 114, 117, 236
eye color determiners, 196, 434–442, 606
interspecific transplants, 196, 434–442
unstable genes, 476, 647
vermilion gene, 196, 434–442
DUBININ, N. P., 90, 94, 641, 648
DUBREUIL, G., 557
DUNN, L. C., **14**, 19–20, 24, 43–46, 53–55, 58, 62, **307**–309, 311, 313, 317
duplications, 84, 186–187, 407–425
DURHAM, F. M., 17, 19–20, 24

EAST, E. M., 131, 135, 139, 144–145, 148–149, 157–159, 163, 173, 178, 347, 354–356, 360, 362, 484–485
eczema, 205
Edinburgh, University of, 21
EHRENBERG, C. G., i
ELLENHORN, J., 234, 627
ELOFF, G., 114
embryology, Drosophila, **204**–205
embryonic determination, aphid, **208**–209
EMERSON, R. A., 236, 484–486, 491, 513
EMERSON, S. H., 564–565, 568, 571
EMMENS, C. W., 553
endomixis, **284**–295
environment, effect on
anthocyanin color, 352
self sterility, 136–137
sex combs, Drosophila, **427**–432
size, 361
weight, pigs, 457–468
EPHRUSSI, B., **65**–**76**–78, 81–85, 196, 205, 257–260, **393**–401, 434–441, **479**–482, 587, 589, 599–600, 605–609
epilepsy, 205
ERDMANN, R., 284
Eruca sativa, 135, 145
Escholtzia, 145
evolution of
gene, 402–405
mutability, 225–226
eye color determiners, 65–86, 434–442, 479–483, 587–611
eye color development, **65**–**76**–85, **393**–401, 434–442, **479**–483, **587**–611
eye disk transplants, **195**, **434**–442, 479–483
EYSTER, W. H., **191**, 495–496

facet determination, **199**, **319**–330
facet number, 430–432
FANKHAUSER, G., **192**–193
fat bodies, **587**–611
FEDERLEY, H., 517
FELDMAN, H., 115
FILZER, P., 131
First Institute of Podiatry, 184
FISHER, R. A., 237, 269, 458, 466
fission rate, Paramoecium, 288–289, 293–295
FOSTER, M., ii
FRASER, A. C., 376–379, 383–386, 389, 492
FRIEDMAN, B., 391
FRIESEN, H., 117, 125–126, 534–535
FROLOWA, S. L., 345
FROST, H. B., 305, 496
fungi, 176

EIGSTI, O. J., **191**
Galton and Mendel Fund, 484, 523, 542
Gammarus chevreuxi, 114, 116
Gasteria, 201
Lingua, 163, 170
self sterility, 162–178
verrucosa, 163, 170
GATES, R., 564
Gates nephelometer, 266
GAY, E. H., 94, 615, 644
GEITLER, L., 614
gene
and virus, **194**
evolution of, **402**–405
interaction, pig, 462–466
locus in chromosome, 542–554, 612–632
mutability, 469–478
redifferentiation of, **402**–405
stabilization of, **402**–405
gene-frequency, man, **209**
Genetics Society of America, 183, 469
genic balance, 298–299, 407–425, 565–566
geographical distribution, chromosome variations, 341–346
Georgia, University of, 427, 557
germ cells
mutation, 213–224
selection, 213, 221
GERSHENSON, S. M., **87**–91, 94–95, 102, 125, 233, 245
GLANCY, E. A., **196**, **434**–437
GLASS, H. B., 232
GOLDSCHMIDT, R., 246, 419–420, 423
Gomeza, 145
GOODALE, H. D., **193**
GORDAN, C., 584
GORDAN, M., **376**–379, 383–389
GOWEN, J. W., 94, **194**, 265, 644
GRAUBARD, M., 232
GRAVETT, H. L., **557**
GREB, M. T., **194**
GREB, R. J., **194**, 452
GREEN, C. V., 9, 63, 115, 362
GRIFFEN, A. B., **202**, 547, 554, **612**
growth, atypical, **197**, **484**–522
growth habit, Nicotiana, 209
GRÜNEBERG, H., 643
GUIGNARD, L., 484, 512
guinea pig
coat color, 207
disease resistance, 265
gene action, **207**
genes, white spotting, 15

guinea pig (continued)
inbreeding, 211
size of organs, **211**
spotting patterns, 14–16
guppy, 376
GUSTAFSSON, A., 515
gynandromorphs, **196,** 422–423, 429, 484

Habrobracon
differential maturation, **191**
genes
cantaloupe, 194
fused, 191, 420–421
orange, 191, 453–455
white, 194
heterosyngamy, 435
homeosyngamy, 191, 453
inbreeding, 194–195
lethal induction, **452**–456
multiple chromosomes, **191**
sex determination, **191,** 420–421
spotted eye, **194**–195
X-ray effect, **452**–456
HAGEDOORN, A. L., 264
HAGEDOORN-LABRAND, A. C., 264
hair deficiency, deer-mouse, **189**
HÅKANSSON, A., 564, 570
HALDANE, J. B. S., 114–116, 297
HALL, A. D., 132, 162
HALLQUIST, C., 443
HANSON, F. B., 213–214, 226, 241
haploidy, Amphibia, **192**
harelip, man, 210
HARLAN, H. V., 445
HARLAND, S. C., 146, 420
HARNLY, M. H., 320, **393,** 431, 589, 600, 605
HARRIS, B. B., 213–214, 220–221, 228
HARRISON, W. J., **199**
Harvard Botanic Garden, 163
Harvard University, 1, 130, 347, 361, 479, 523, 587
Haworthia, 163, 175
HAYAMI, F., 145
HAYES, H. K., 484–485
hayfever, 205
head-spot, mouse, **193**
heart disease, 205
heat effect on mutation, 187–189
heat effect on variation, 203
Heckscher Foundation, 376
HEER, O., i
Heidelberg University, i
HEILBORN, O., 515
HEITZ, E., 94
Hemerocallis, 162–163
anthocyanin pigment, 210
fulva, 210
aurantiaca, 210
selection, **210**
hemixis, 291–292
HENLE, J., i
HEPTNER, M. A., 94
hernia, 205
HERSH, R. K., 319, 322–323
HERTWIG, G., 630
heterochromomeres, 623, 627, 629
HETZER, H. O., **264**
HAYS, F., 213–214, 226, 241
HILL, A. B., 265
Hollerith tabulating machine, 458
HOLTHAUSEN, C. F., **203,** 469
homeosyngamy, 191
HOOVER, M. E., **194,** 553, **634,** 637–638
Hordeum
chlorina, 105–112
chlorophyll deficiency, 443–451
chromosome structure, 202, 515
deficiens, 106
dis. nigrinudum, 444–451
linkage, 107–112, 443–451
maternal inheritance, **104**–112
vulgare, 104–112
hormones, insect, 262
hormones, plant, 518
HOWLAND, R. B., **196, 434**–435
HUBBS, C. L., 386–387
HUETTNER, A. F., 116
HUGHES, R. D., 317
HUMPHREY, E., 149
HUNT, H. R., 1
HUTT, F. B., 115–116, **196, 198**
HUXLEY, J. S., 114
Hyacinthus, 526
hybrids
D. pseudoobscura, **200**–201, **249**–256
interspecific, Drosophila, 185, 257–262
Lepidoptera, 262, 420
Tradescantia, **183, 206**
hydrocephalus, 205
hydrocoele, 205
hyperploidy, 407–425
hypoploidy, 407–425
hypothyroidism, 205

ILJIN, N. A., 15, 17
Illinois, University of, 187, 427, 470, 557–558, 563
IMAI, T., 430
IMAI, Y., 17, 43, 48, 104
IMMER, F. R., 357, 447
immunity, mouse, 271–272
immunity hypothesis, self sterility, 173–178
inbreeding
Daphnia, 183–184
guinea pig, 211
Habrobracon, 194
mouse, 271–272
Peromyscus, 190
incomplete fertilization, 484–485, 512–513
inert region, **87**–102, 233
Institut de Biologie physico-chimique, 65, 393, 479
nteraction
genes, 5–9, 13, 40–41, **307**–318, 462–466
eye color determiners, **65–76**–86
hypothesis of Rasmusson, 362
interchromosomal effect, 249–256
International Cancer Research Foundation, 519
intersexes, 419–424
interspecific crosses, fish, 389
interspecific transplantation, **196, 257**–263, **434**–442
intraspectific variation, Drosophila, 340–346

inversions
D. melanogaster, 87–93, 186, 195–196, **634**–640
D. ananassae, 198
effect on crossing over, 200–201, 249–256, 523–527
relation to synapsis, 195–196, 524–527, 635–637
tandem, **195**, **634**–640
Tradescantia, 523–527, 533
Iowa Agricultural Experiment Station, 264, 457
Iowa State College, 264
Iowa State University, 198
IRWIN, M. R., 264, 269
IVES, P. T., 7

JENNINGS, H. S., 294
JOLLOS, V., 294, 470, 534–535
JONES, D. F., **484**–487, 495, 499, 513, 518

Kaiser Wilhelm-Institut, 184–185
KAKIZAKI, Y., 131, 135, 138–140
KALISS, N., 14
KAMSHILOV, M. M., 88
KARPER, R. E., 104
Karyo-idioplasm, ii
KASAI, T., 135, 140
KAUFMANN, B. P., 94, 124, **197**, 201, 333, 470, 527, 648
KEELER, C. E., k5, 43, 46, 63, 193
Kentucky Agricultural Experiment Station, 457
KERKIS, J., 258–260, 345
Keufel and Essel planimeter, 309
KHOUVINE, Y., 589
KIKKAWA, H., 117, 197
killifish, 376
KING, E., 523
KING, R. L., 198
King College, 208
KIRK, L. E., 134
KNOX, C. W., 264
KOBOZIEFF, N., 1
KOLLER, P. C., 115–116, 124, 250, 577, 583
VON KOLLIKER, R. A., i-iii
KOLTZOFF, N. K., 184, 612, 630
KOONCE, D., 109
KOSSIKOV, K. V., 84, **213**, 216, 234
KOSSWIG, C., 388–389
KOSTOFF, D., 145, 150, 171–172
KOZELKA, A. W., 265
KRAFKA, J., 319, 323, 326, 431
KRAUS, E. J., 162
KUCKUCK, H., 443
Kyoto Zoological Institute, 470

LAMBERT, W. V., 264, 281
LAMOREUX, W. F., **198**
LAMY, R., 577
LANCEFIELD, D. E., 200, 249–250, 254–255, 577, 583–584
LANDAUER, W., 115
LANSING, W., 389
Lathyrus odoratus, 115
LAWRENCE, E. G., **201**, 547, 550
LAWRENCE, W. J. C., 131, 139, 156
LEAGUE, B. B., 226
LEBEDEFF, G. A., 14, **307**, 422
Lebistes reticulatus, 246, 376
Leningrad State University, 225, 241, 402
LESLEY, J. W., **297**, 302, 305
LESLEY, M. M., 303, 305
lethals
Drosophila, 119–121, 188–189, 211–**225**–238, 402–405 469–478, 537–542, 634
Habrobracon, **452**–456
maize, 498
mouse, 44, 56, 60–62
leukemia, **204**
LEWIS, P. A., 265
LI, J. C., **186**
light, effect on aphid, 208–209
Lillium
chromosomes, 197
regale, 149
Limia caudofasciata, 390
Limia nigrofasciata, 390
Linaria reticulata, 145, 159–160, 177
LINDSTROM, E. W., 281, 302, 362
linkage
barley, 107–112
Drosophila, 185, 577–586
mouse, 10–13, 280–282
tobacco, 357–360, 366–375
tomato, 299–302
Linum grandiflorum, 132
Linum perenne, 145
litter size, mouse, 2
litter size, pig, 458–462
LITTLE, C. C., 17, 19, 26, 43, 63, 308, 317, 517
LOEB, L., 260
LOWIG, E., 140
LUCE, W. M., 319, 430
LUSH, J. L., 457
LUTZ, A. M., 564
Lymantria dispar, 419–424
lymphocytes, mouse, **204**
LYNCH, R. S., **284**, 293–294
Lythrum salicaria, 131, 145
Lythrum scheme, self sterility, 131, 137

MACARTHUR, J. W., 302, 305
MACDOWELL, E. C., **204**, 265, **307**
MACGREGOR, F. J., 161
MACKENSEN, O., 410, 412, 553
MACKNIGHT, R. H., **200**, **249**
macronucleus, 290–292
maize, 104, 112, 189–190, 197, 200–201, 362, 484–522, 525
Malpighian tubes, 206, **587**–611, 643
man
cleft palate, 210
gene-frequency method, **209**–210
harelip, 210
inheritable disorders in children, **205**
methods, genetic analysis, 209–210
Method of Maximum Likelihood, 210
oligodontia, 199–200
Proband Method, 210
Sib Method, 210
MANGELSDORF, A. J., 131
MANRESA, M., 264
maple 145, 151–157

MARGOLIS, O. S., 199, 319–320, 328, 330
MARSHAK, A., 163, **201**
masking of mutability, 236–238
MASON, E., 434, 440
maternal inheritance
  barley, **104**–112
  maize, 517–519
  moth, 517
  mouse, 5–7, 13
MATHER, K., 303, 514
maturation, Habrobracon, **191**
MAVOR, J. A., 117, 560, 562
Maxim Gorky Institute, 333
MCBRIDE, T. F., **199**
MCCLINTOCK, B., **200**, 302, 486, 514–515, 519, 524–525
MEEK, S. E., 387
meiosis, Tradescantia, 523–533
Melandrium, 104
melanin, 14, 307
Melilotus officinalis, 132–134
mental deficiency, 205
mental retardation, 205
merogony, **192**–193
metamorphosis, Drosophila, **205**–206
Method of Maximum Likelihood, 210
METZ, C. W., 124, 184, **201**, 434, 440, **543**, 546–547, 550–552, 577, 612–615, 622, 630–632
MICHAELIS, I., 14
Michigan, University of, 114, 189, 208
Micromalthus debilis, **208**
microsporogenesis, 523–533
Mirabilis jalapa, 104, **208**
Missouri Agricultural Experiment Station, 130
Missouri Botanical Garden, 183
modifying factors, 236
modifying genes, 424
  cotton, 420
  Lymantria, 420
  maize, 492
  mouse, 26–41, 49–64, 311–318
MOHR, O., 420, 643
moisture, effect on mutation, **187**
MONOD, J., **257**
MOORE, C. W., 145
MOORE, N. G., 215, 218, 220, 222, 241
MORGAN, T. H., 114, 125, 134, 175, 201, 233, 237, 249, 255, 565, 606
MORIWAKI, D., 117, 258
mosaics
  aphids, 209
  apple, 496–497
  Drosophila, 94, 475, 641–648
  maize, 484–522
  Mirabilis, **208**
MOSES, M., 434, 440
mottled eye, Drosophila, **641**–648
MOTT-SMITH, L. M., 320
Mt. Hope Farm, 193
mouse, 362
  anaemics, 44–56, 60–62, 311–312
  birth rank, 2
  body weight, **193**–194
  crossing over, 114–115
  disease resistance, **264**–282
  gene interaction, 5–9, 13, 17, **306**–318
mouse (continued)
  genes
    agouti, 280–282, 308
    agouti light belly, 308–318
    albino, 280–282
    black, 308–318
    black and tan, 308–318
    Brachyury, 1–2, 9, 11–12
    dominant white, 17, 19, 43–64, 308–318
    dwarf, 10–11
    flexed, 1, 11
    Fused, **1**–13
    hydrocephalus, 10–11
    modifiers, spotting, 26–41, 55–64, 311–318
    modifiers, variegated, 49–64
    silver, 280–282
    spotting, 17, 19, 25–64, 308–318
    yellow, 308–318
  head-spot, **193**
  leukemia, **204**
  litter size, 2
  maternal effect, Fused, 5–7, 13
  modifying genes, spotting, 26–41, 49–64, 311–318
  Mus bactrianus, 9, 12–13
  Mus musculus, 1–64
  non-genetic variation, 15–16, 21, 63
  overlaps, 4–9
  rib fusion, 1–2
  selection, 23, 193–194
  spotting patterns, **14–43**–64, **307**–318
  stocks
    Bagg albino, 204, 265–282
    Pincus strain, 3–4, 6–8
    Schwing, 276–268
    selected resistant, 265–282
    silver, 265–282
    Storrs-Little, 204
    Strong albino, 2
  tail structure, 1–13
  variation in spotting, **13**–43, 49–60
  vertebral fusion, 1–2
MRGUDICH, J. N., 563
MÜLLER, F., 132, 145
MULLER, H. J., 84, **87**, 90, 94–95, 101–102, 116, 125, 213–214, 220–222, 225–226, 232–234, 237–238, 241, 245, 247, 404, 407–408, 420 422, 452, 534, 553, 557, 627–628, 641
MÜLLER, J. P., i
multiple alleles, 420
multiple chromosomes, **191**
multiple factor hypothesis, 361
MÜNTZING, A., 516, **524**
MURRAY, J. M., 63, 187
mutability factor, **190**
mutation
  bacteria, 184
  cosmic ray induction, **534**–542
  Datura, **187**
  frequency, Drosophila, 188, **203**, **211**, **213–225**–**241**–248, 402–405, 469–478
  frequency, Mirabilis, 208
  heat induction, **188–189**
  Oenothera, 564
  physiological, **183**
  Protozoa, 294–295
  recurrent, 584

mutation (continued)
somatic, 485, 499, 513
ultraviolet induction, 194
viruses, 194
X-ray induction, 194
mutation theory, ii

NABOURS, R. K., 114
NÄGELI, C., i
NATALI, A. I., 246
NATALI, V. F., 246
National Research Council, 425, 455
natural selection, ii
NAWASCHIN, S. 484
NEBEL, B. R., 161, **202**, 629
Nemesia strumosa, 131, 145, 160–161, 177
nephelometer, 266
nerve fibers, ii
NEUHAUS, M., 94, 96, 99, 101, 125, 214–215, 218, 220, **333**
New York Botanic Garden, 210
New York State Agricultural Experiment Station, 202
New York University, 196, 199, 204–205, 319, 470
Nicotiana
anthocyanin color, 348–354
chromosome lagging, 209
corolla color, **347–361**–375
dominance reversal, **209**
Forgetiana, 352
genes
blue pollen, 355–360, 367–373
dilution, 348–351, 360
extension, 348, 353–354, 360, 367–373
green plastid, 354–360, 368
intensity, 348–351, 357–360, 369
purple, 348–352, 357–360, 367–374
red, 348, 352, 354, 360, 372–374
self-fertility, 347, 357
growth habit, 209
interspecific hybrids, 209
Langsdorfii, 347–375
rustica, 209
plastid color, 348, 354–360
pollen color, 355–360
Sanderae, 145, 157–159, 177, **347**–375
segmental interchange, 348, 359
size inheritance, 361–375
tabacum, **209**
NILSSON-EHLE, H., 105, 361, 443
Nipagin, **188**
non-disjunction, 486, 513–514, 569
non-genetic variation, 15–16, 63
NONIDEZ, J., 124
Norway rat, 189
Notylia, 132
NOUJDIN, N. I., 90, 94
nuclear development, **523**–533

obesity, 205
odor, inheritance in plants, **191**
Oenothera, 237, 515
albida, 567, 571
angustissima, 568
blandina, 567
cruciata, 567
Oenothera (continued)
biennis, 567
Drummondii, 576
eriensis, 567
extra chromosome, **564**–576
franciscana, 576
Hookeri, 567
laeta, 565, 569
Lamarckiana, 564–576
lata, 564–576
Millersi, 575
muricata, 567, 575
neovelans, 569
pallescens, 566
purpurata, 567
rubricalyx, 567
rubrinervis, 567, 569, 571
suaveolens, 567
triploid, 574–576
trisomic, 564–576
velutina, 565, 569
OFFERMANN, C. A., 216, 218, 222, 234, 419
OGURA, S., 94, 114, 226
Ohio State University, 209
oil gland, Tagetes, 191
OKEN, L., i
oligodontia, **199**–200
OLIVER, C. P., 95
Oncidium, 145
ONSLOW, H., 307
oppositional factor hypothesis, 131, 137, 146, 157, 160
Oryza, 104, 115
OSTERWALDER, A., 145
otitis media, 205
ovarian transplants, 257–263
overlaps, mouse, 4–9
ovule culture, Gasteria, 170–171
Oxalis valdiviana, 131

PACKARD, C., 585
PAINTER, T. S., 87, 94–98, **202**, 233, 237–238, 404, 547, 554, **612**, 627, 631
Paramoecium, 198
Paramoecium aurelia
conjugation, **284**–295
endomixis, **284**–295
origin of biotypes, **284**–295
Paratettix, 114, 116
paratyphoid-exteritidis, 264
Paris, University of, 257
PARK, J. B., 144, 148–149, 158–159, 163
PARKER, R. W., 637
parthenogenesis, **183**, 452
PASKEWITCH, V. V., 154
PĂTAU, K., 345
pattern inheritance, **14–43**–64, **307**–318, 376–390
PATTERSON, J. T., 117, 124–126, 218–219, 222, 232, 242, 245, 407–408, 413–414, 422–423, 474, 557, 641, 646
pea, 362
pear, 145
PEARSON, O. H., 133, 135, 137
PEASE, M., 15
Pelargonium hortorum, 132, 140–143, 173, 177
Pennsylvania Hospital, 455

Pennsylvania, University of, 191, 452, 455
Peromyscus leucopus noveboracensis, 190
Peromyscus manuculatus, hair deficiency, **189**
PETROV, A. V., 154
Petunia violacea, 131, 135, 145–153, 173, 177
Pharbitis Nil, 115
PHILIP, U., 94, 116–117, 124, 333
PHILP, J., 115
phototropism, 135
PICKARD, J. N., 21
PICTET, A., 15
pied spotting, mouse, **14**–43
pig, weight, **457**–468
pig, Poland-China breed, **457**–468
pigeon, 115
PINCUS, G., 6, 15, 26
Pittsburgh Skin and Cancer Foundation, 194
Pittsburgh, University of, 199
plastid color, Nicotiana, 348, 354–355
platyfish, 376–390
Platypoecilus
  color pattern, 376–390
  couchianus, 388
  crossing over, **376**–390
  maculatus, 376–390
  sex chromosomes, **376**–390
  sex inheritance, **376**–390
  sex reversal, 376, 386–390
  variatus, 388–389
  xiphidium, 388–389
pleiotropy, 404
Pleurage anserina, 175
PLOUGH, H. H., 7, 117, 175, **188–189, 203,** 469
plum, 132, 145
pneumonia, 205
pole cells, Drosophila, 204–205
pollen abortion, 187–188, 359–360
pollen aging, Datura, 187
pollen cell divisions, **207,** 523–533
pollen germination, 131–133, 136, 139, 145, 148–153
pollen tube growth, 131–135, 139–155, 157–164, 187, 191–192
polyploidy, 131–132, 207, 297–299, 303, 517, 523–533
POMEROY, C. S., 496
POTTER, J. S., **204**
polyneuritis, 199
population size, Drosophila, 428
POULSON, D. F., **204, 257,** 436–437
poultry
  crossing over, 115
  disease resistance, 264
  gynandromorphs, **196**
  vitamin deficiency, 198–199
POWSNER, L., **184,** 319–320, 326, 328, 436, 441
precocity theory, 201
PRICE, W. C., **194**
prime types, Datura, **186**
Primula, 298
Primula sinensis, 115
Princeton University, 192
PRITCHETT, I. W., 265
Proband Method, 210
PROKOFYEVA-BELGOVSKAYA, A. A., 84–87, 90–91, 94–95, 98, 101, 233–234, 553, 627–628
Prunus avium, 131
Prunus domestica, 131
pseudofertility, 163
Pseudoxiphophorous bimaculatus, 387
PUGH, C. E. M., 307
PUNNETT, R. C., 15, 308
pupal respiration, **207**
pyloric stenosis, 205

quantitative variation, mouse, **14**–42
QUISENBERRY, J. H., 485

rabbit
  coat color, 308
  crossing over, 115
  disease resistance, 264
  spotting patterns, 14–16
RABINOWITZ, M., **204**
radish, 132, 135, 140
RAFFEL, D., **77,** 294
RAJEWSKY, B., 534, 540
RANDOLPH, L. F., 512–513, 516
Raphanus sativus, self sterility, 132, 135, 140, 173–177
RASMUSSON, J., 362, 374
rat
  crossing over, 114–115
  disease resistance, 264
  spotting patterns, 14–16
rate of development, Drosophila, 436–437, 441–442
recurrent mutations, 584
REDFIELD, H., 186, 302
redifferentiation of genes, 247, **402**–405
REED, H. D., 389
REED, S. C., **1**
REGAUD, C., 557
REMAK, R., i
RENNER, O., 566
repeats, 185
Reseda odorata, 191–192
respiration, Drosophila, **207**
REYNOLDS, J. P., 545
RHOADES, M. M., 104, 112, 125, 200, 302, 305
Rhode Island Reds, 198–199
Rhodnius, 262
rib fusion, mouse, 1–2
RICHARDSON, M. M., 524–525
RICHEY, F. D., 362
RIDGWAY, R., 105, 439, 450
RILEY, H. P., 132, 134, 137, 160–161, **206,** 514–515
ROBB, R. C., **205**
ROBB, W., 104
ROBERTS, E., 264, 485
ROBERTSON, C. W., **199, 205, 319,** 326
ROBERTSON, D. W., 104–106, 109–110, 443–445, 448–450
Rockefeller Foundation, 65, 564
Rockefeller Institute for Medical Research, 194
RUSSELL, S., 21
RUSSELL, W. L., **207**
Russian Academy of Sciences, 87, 94, 213
RUTTLE, M. L., **202,** 629

SACHAROV, V., 641, 648
SACHS-SKALINSKA, M., 348
salamander, **192**

salivary chromosomes, 87–103, **184**–187, 195–**202**, 234, 238, 249–252, **542**–556, **612**–632, 634–648
Salmonella aertrycke, 264–282
SANSOME, F. W., 115, 299, 302–303
SASS, J. E., 516
SATINA, S., **207**
SAX, K., 145, 165, 178, 361, **523**–524, 531–532
SCHLEIDEN, M., i
SCHMUCK, M. L., 552
SCHOTT, R. G., 264–274, 281
SCHULTZ, J., 86, 99, 201, 237, 246, 249, 255, 399, 407–408, 423, 425, 436–437, 480, 608, 641, 644, 646, 648
SCHWANN, T., i
SCHWEITZER, M. D., **207**
Sciara
  coprophila, 552
  deficiencies, **542**–556
  ocellaris, 544–556
  salivary chromosomes, **201**–202, 542–556, 613, 615
Sclerotinia Gladioli, 175
SCOTT, A. C., **208**
SCOTT, J., 145
SCOTT, L. B., 496
SEARS, E. R., **130**
season, effect on weight, pig, 459–461
Secale
  cereale, 132, 140–144, 173–177
  chromosome structure, 202
  self sterility, 132, 140–144, 173–177
seed germination, tomato, 299
segmental interchange, 186, 348, 359
segregation, somatic, **197**, **484**–522
selection
  bacteria, 184
  Drosophila, 432
  Hemerocallis, 210, 266–272
  mouse, 16, 193–194
selective fertilization, 420–421
self sterility, **130**–178, 192, 357–360
semilethals, Drosophila, 226–238, 402–405, 471–472, 537–542
SEREBROVSKAYA, R. I., 216, 220
SEREBROVSKY, A. S., 88, 125, 225
Serratia marescens, 184
Seton Hall College, 211
SETTLES, F., 213, 220
sex
  chromosomes, **376**–390
  determination, 419–425
  difference, crossing over, 115–116
  difference, X-ray effect, 560–561
    Drosophila, 238, 241, 246–248, 407, 419–425
    Habrobracon, **191**, 420–421
    Lymantria, 419–424
    Playpoecilus, **376**–390
  effect on
    disease resistance, 274–276
    eye color, 67, 70–75
    facet number, 322–326
    mutation frequency, 213–224
    weight, 458
  genes, 404–405, 419–424
  in haploid Triton, **192**–193
sex (continued)
  reversal
    Drosophila, 422
    Habrobracon, 191
    Platypoecilus, 376, 386–390
sex-combs, Drosophila, **427**–432
sex-limited character, 427–432
sex-linked lethals, 226–238
SHAMUS, A. D., 496
SHAPIRO, N. J., 214, 216, 218, 220
SHOWALTER, H. M., **208**
SHARP, L. W., 104, 201
SHULL, A. F., 114, 117, 126, **208**
SHULL, G. H., 104, 575
Sib Method, 210
SIDOROV, B. N., 214
VON SIEBOLD, K. T. E., iii
silkworm, 114
SILOW, R. A., 145
Simulium virgatum, salivaries, **202**, **612**–632
SINNOTT, E. W., 40, 516
SIPE, G. R., 115
SIRKS, M. J., 135, 155–156
size inheritance, tobacco, **361**–375
SIVERTZEV-DOBZHANSKY, N. P., 233
skeleton, deer-mouse, 190
SKOVSTED, A., 157
SLIZYNSKA, H., **641**, 643
SMITH, H. H., **209**, **347**, **361**, 366, 368
SNEDECOR, G. W., 269, 281–282
SNELL, G. D., 421
SNYDER, L. H., **209**
Sô, M., 17, 43, 48
somatic mutation, 41, 485
somatic segregation, 124–125, **197**, **484**–522
SONNEBORN, T. M., **284**, 286, 292–294
SONNENBLICK, B. P. **196**, **434**–435
sorghum, 104
Southern California, University of, 185, 577, 585
SPÄNNAR, G., 14
specific modifiers, 59–64
SPEMANN, H., 192
Spemann's hair loop, 192
SPENCER, W. P., 203, 470, 477
sperm inactivation, 452–456
spermatogenesis, Micromalthus, 208
spermatogonial crossing over, 124–125
spermatozoa, i
Sphaeralcea miniata, 157
spindle fiber attachment, 124–127, 297–304
spotting patterns, mouse, **14**–**43**–64, **307**–318
SPRAGUE, G. F., 362
stabilization of genes, 247, **402**–405
STADLER, L. J., 214, 237, 486, 502, 514, 519
STANCATI, M. F., 452, 455
Stanford University, 587
STANLEY, W. F., 431
Staphylococcus aureus, 184
STEIN, E., 516, 518
STEINBERG, A. G., 249
sterility mutations, Drosophila, **241**–248, 402–405
STERN, C., 94, 124, 226, 237, 333, 335, 389, 515 641, 646
STEVENSON, T. M., 134
stigma, 134–135

STONE, W., 232, 235, 242, 245, **407**–408, 423
STOUT, A. B., 131–132, 140, 145, 162–163, **210**
strabismus, 205
STRANDSKOV, H. H., **211**
stratosphere, effect on mutation, 534–535
STRONG, L. C., 308
STURTEVANT, A. H., 86, 117, 125, 186, 201, 233, 237, 249–250, 258, 260, 263, 345–346, 393, 436, 524, 564–565, 568, 577, 583–585, 609, 611
St. Vincent College, 211
Styela partita, 175
style, in self sterility, 144
style, grafts, 169–170
SUCHE, M., 117, 125–126, 232, 242, 408
SUMNER, F., 189
suppressors, 237
susceptibility, mouse, **264**–282
SUTTLE, A. D., 115
SVENSON, H. K., 117
synapsis, 195–196, 525–527, 614, 623–627, 635–637
Syracuse and Strong Hospital, 205

Tagetes erecta, **191**
tail structure, mouse, 1–13
TAN, C. C., 249, 345, 577, 583, 585
TANAKA, Y., 114
tarsus length, Drosophila, 427–432
temperature effect on
  Bar eye, 319–330
  cleavage, 205
  crossing over, 114, 117–127
  gene expression, **203**–204
  microsporogenesis, 531
  mutation, **187–188–189**, 535
  pollen tube growth, 154–155
  sex-combs, 427–432
  variation, 203
temperature-effective periods, **199**, **319**–330
testes undescended, 205
testis transplants, 260
tetraploidy, 139, 157, 198
Texas, University of, 202, 407, 470, 612
THIMANN, K., 588–589, 600
TIMOFEEFF-RESSOVSKY, N. W., 213–214, 220, 226, 236
tobacco, 209, 347–375
tobacco-mosaic virus, 194
Tokyo Imperial University, 470
Tolmiea Menziessi, 131, 146, 161–162, 178
tomato, 115, 362
  A-chromosome, **297**–306
  crossing over, **297**–306
  genes
    compound, 298–306
    dwarf, 298–306
    peach, 298–306
    potato-leaf, 305
  trisomes, 297–306
tonsil hypertrophy, 205
tonsilitis, 205
Toronto, University of, 305
TOWNSON, T., 116, 124
Tradescantia, 145
  bracteata, 183, 523–524, 528
  canaliculata, 183, 206, 526
Tradescantia (continued)
  chromosomes, 197, 202, 514–515, **523**–533
  gigantea, 524, 526
  hirsutiflora, 206
  interspecific hybrids, **183**, **206**
  longipes, 183
  meiosis, 523–533
  microsporogenesis, 523–533
  nuclear development, **523**–533
  occidentalis, 183
  paludosa, 206, 526, 528
  virginiana, 183, 206, 523
translocations, 185, 230–235, 244–246, 333–339, 407–425, 499–501, 505–506, 514–515, 641–648
transplantation, Drosophila, **65**–86, **196**, **257**–263, **434**–442, 479–483
Trifolium pratense, 131, 145
Trillium
  chloropetalum, 211
  chromosomes, 197, 202, **211**
  ovatum, 211
  petiolatum, 211
  rivale, 211
triploids, **207**, 303, 523–533
trisomics, 297–306
Triticum, 165
Triton taeniatus, **192**–193
Triturus pyrrhogaster, **192**
tuberculosis, guinea pig, 265
TUKEY, H. B., 170
Tulane University, 206
tumors, 205
TUPPER, W. W., 516
TURTON, W., 45
twin spots, 487–522
typhoid, 264–265
tyrosinase, 307
TYZZER, E. E., 264

UBISCH, G. von, 131
ultracentrifuge, **198**
ultraviolet induced mutation, 194
Union College, 208
unipolar division, **208**
unstable genes, 194–195, 208, 476
UPCOTT, M., 303, 526
U. S. Department of Agriculture, 130, 209, 347, 361

variance, pig weight, **457**–468
variation
  bacteria, **184**
  Drosophila, **203**
  mouse, **14**–43, **190**, **193**
variegated spotting, mouse, **43**–64
Verbascum phoenicium, 131, 135, 155–157
VERETENNIKOFF, S., 1
Veronica syriaca, 131
vertebral fusion, mouse, 1–2
VIRCHOW, R. L., ii
virus, 107
  mutation, 194
  relation to gene, **194**
  tobacco mosaic, 194
vitamin deficiency, **198**–199
VALDIMIRSKY, A. P., 238, 247, 404

waltzing mouse, 274
WARD, L., 186
WARMKE, H., **211**
WARREN, D. C., 115, 362
Washington, Square College, 393
Washington University, 183
weaning weight, pig, 457–468
WEATHERWAX, P., 512
WEBBER, H. J., 484, 512
WEBSTER, L. T., 264
weight and disease resistance, 274
weight, pig, **457**–468
WENRICH, D. H., 87
WENSTRUP, E. J., **211**
West Virginia, University of, 187
WEXELSON, H., 362
wheat, 198
White Leghorns, 198–199
WHITE, P. R., 170
WHITING, A. R., 453
WHITING, P. W., 420–421, 452, 455
WHITTINGHILL, M., **114**, 117
WIGGLESWORTH, V. V., 262
WILLIAMS, E., 519
WINCHESTER, A. M., 218–219, 222
wing development, 557–563
wing disk transplantation, **196**
wing size, **188**, 431
WINGE, Ö, 246, 376, 388
WINKLEMAN, E., 213–214
WINKLER, H., 516
WINTON, D. DE, 115, 157, 355–356
Wisconsin, University of, 534
WITSCHI, E., 376, 386
WOLF, E. A., **199**
WOOD, T. R., **183**
WRIEDT, C., 115
WRIGHT, S., 15, 24, 40, 63, 207, 265, 271, 463, 466, 608
WRINCH, D. M., 631, 648
Wurzburg, University of, i

xenia, 484
Xiphorphorus hellerii, 388–391
X-ray, effect on
  microsporogenesis, 526, 531
  mosaics, 501–502
  wing development, **557**–563
X-ray induced chromosomal aberration, 634–648
X-ray induced mutation, 194, 213–248, **452**–456

YARNELL, S. H., 139, 157
YASUDA, S., 135, 146, 148–149
Yenching University, 186

ZAVADSKAIA, N., 1
Zea mays, 115, 189–190
  atypical growth, 197, 484–522
  chromatid ties, 525
  deficiency, 189, 200
  deletion, 486, 514
  genes
    brown mid-rib, 200
    colorless, 484–522
    pericarp color, 495
    purple aleurone, 487–522
    shrunken, 486–522
    sugary, 484–522
    waxy, 484–522
    yellow, 495
  incomplete fertilization, 484–485, 512–513
  maternal inheritance, 104, 112
  non-disjunction, 486, 513–514
  somatic mutation, 485
  somatic segregation, 197, 484–522
  translocation, 499–501, 505–506, 514–515
  twin spots, 487–522
  white seedlings, 189
Zeitschrift für Wissenschaftliche Biologie, iii
ZELENY, C., 125
ZIRKLE, R., 455
ZOLLIKOFER, C., 132
ZURICH, Medical School, i